



Montes Taurus

Silicone Leather

Technical Data

Physical Performance

| | |
|--------------------------|--------------------|
| Wyzenbeek | >200,000+ dbl rubs |
| Martindale | 130,000+ |
| UV stability | 1,000+ hrs |
| Flex resistance | ASTM D2097-91 |
| Hydrolysis resistance | 10+ weeks |
| Cold crack resistance | 5# roller, CFFA-06 |
| Salt spray resistance | 1,000+ hrs |
| Low-temp flex resistance | -30°C 200,000+ |

Fire Retardant

CA TB117-2013,
FMVSS #302,
IMO A.652(16) Part 8
BS5852 #0, 1, 5 (crib)
DIN EN 1021 Part I & II
NFPA 260 Class I
UFAC Class I

Composition

100% Silicone (Surface),
PES (Backing)

Width

54in

Min. usable width

54in

Color Fastness

| | |
|--------------------------|---|
| Light (200hr) AATCC16.3 | 5 |
| Rubbing Wet & Dry AATCC8 | 5 |
| Perspiration AATCC15 | 5 |

Stain Resistance CFFA-141

(5 No evidence of stain present | 4 Slight evidence | 3 Noticeable evidence | 2 Considerable evidence | 1 Excessive evidence)

| | |
|-----------------------|---|
| Ink | 5 |
| Indigo Denim Transfer | 5 |
| Permanent Marker | 5 |
| Coffee | 5 |
| Blood/Urine/Betadine | 5 |
| Mustard/Wine | 5 |
| Lipstick | 5 |

Sustainability

PU and PVC free
Ultra low VOCs
CAL 01350 compliant
Recyclable
RoHS, REACH, California PROP 65 compliant
Advanced solvent free technology
No toxic by-products
No formaldehyde
No plasticizers, phthalates, heavy metals, or BPA
No harm to air or water
LEED V4 qualified credits

Health Concious Benefits

Inherently anti mildew, ASTM G-21
Skin friendly and allergen free
ISO Primary Skin Irritation Test (GLP)
CTX110 - Cytotoxicity - MEM Elution
No anti-bacterial additives or biocides


Montes Taurus

Silicone Leather

Usage



Care



Cleaning (US)

W/S
Beach Cleanable